# **X100L-600** Resistive Load Bank 100kW

#### ISO 9001:2015 Registered



Mosebach's X100L-600 load bank offers you a continuous load at 600/480/240/208 volts in a compact, lightweight, indoor enclosure.

The digital meter allows you to measure power, voltage, current and frequency while also allowing you to record the data as you do your testing. Power connections are easily done with our camlock connections. Auxiliary power of 120V is used for blower and control power. You should be up and testing within minutes of connecting your power source.



### **Standard Features**

- Digital meter with USB-Type B dataport
- 2. Recessed control panel to protect controls
- 3. Voltage and temperature warning lamps
- 4. 400 amp camlock power connections
- 5. Lightweight aluminum body
- 6. 120V auxiliary power receptacle
- 7. Quiet, high-speed cooling fans

## **Applications**

- Generator Maintenance
- Uninterrupted Power
  Supplies
- Data Centers
- Renewable Energy
- OEM's


### MOSEBACH MANUFACTURING COMPANY

1417 McLaughlin Run Rd. | Pittsburgh, PA 15241 | **412-220-0200** loadbankquotes@mosebachresistors.com

www.mosebachresistors.com

# X100L-600 Resistive Load Bank 100kW





Model No.	Voltage	Total kW	Resolution (kW)	Dimensions L x W x H	Weight (lbs.)
X30LT	480	30	1	20" x 12" x 29"	60
X60C	416	60	3	22" x 14" x 27"	84
X100L	480	100	5	20" x 12" x 29"	64
X100L-600	600	100	5	20" x 12" x 29"	64
X250S	480	250	5	43" x 25" x 44"	250

### MOSEBACH MANUFACTURING COMPANY

1417 McLaughlin Run Rd. | Pittsburgh, PA 15241 | **412-220-0200** loadbankquotes@mosebachresistors.com

## Ratings of X100L-600:

kW	VOLTAGE	RESOLUTION
<b>1</b> 00	600	5
<b>6</b> 4	480	3.2
<b>6</b> 4	240	3.2
<b>4</b> 8	208	2.4
■ 42	240/1	2.1
■ 10.5	120/1	0.52

# **Standard Configuration**

#### **Digital Meter**

- To measure current, voltage and frequency
- Data logging to store tests to laptop

#### **Carrying Case**

- 17.5" x 27.5" x 32"
- 50 lbs.

#### Safety

• Over temperature and over voltage sensors

#### **Option Add-Ons** (Select Desired)

#### **OPTIONAL KITS**

- □ Remote Control Kit MURC
- □ Extended 2 Year Warranty
- □ Extended 3 Year Warranty
- □ Starter Spare Parts Kit

#### **OPTIONAL ACCESSORIES**

- 🗆 10 ft. Cable Set
- 🗆 25 ft. Cable Set
- □ 50 ft. Cable Set
- □ 100 ft. Cable Set
- Nationally Recognized Test Lab (NRTL) Approval

#### www.mosebachresistors.com

# **X100L-600** Resistive Load Bank 100kW



## Multi-Unit Controller Software

Mosebach's Multi-Unit Remote Controller Software is designed to help manage a single load bank or multiple load banks as one. It is able to be installed and run on any laptop. The hardware consists of an I/O card that is installed in each load bank. The MURC<sup>™</sup> can help manage a group of load banks to get the full load that is needed at the testing site.

ierial umber	Model Number	Zone	Alarr Statu		Control Mode	Voltage Mode	Capacity (kW)	Applied (kW)	Measured (kW)	Measured (A)
06/017-1	X5750C	0	- 01	6 On	Remote	640	750	750	0.00	0.00
Contro	i Mode	Select	ы	Max		Total	750	750	0.00	0.00
	Mode	Select	rd 0	Max 722 A	Cont				0.00	0.00 Meter
Contro Local	Mode Remote	Select			Cont		750 ividual		meter	
Local	Remote	Select	0	722 A	Cont Fits			- Para A Curre B Curre	neter nt nt	Meter 0.00 0.00
Local		Select	0	722 A 750 KW	Cont Fits			- Para A Curre	neter nt nt	Meter 0.00
Local Bio	Remote	Select	0	722 A 750 KW Send Power Command				A Curre B Curre C Curre	neter nt nt	Meter 0.00 0.00
Local	Remote	Select	0	722 A 750 KW Send Power				A Curre B Curre C Curre	nt nt current	Meter 0.00 0.00 0.00

## Mosebach's Cross Wire Resistors

Mosebach's Cross Wire Resistor have no ceramics and therefore are lighter and more durable than any other resistor on the market today. The resistors are supported by high temperature Mica supports that have been proven in Dynamic Braking Systems for locomotives and mining trucks all over the world. We are so confident in our resistor technology they come with a 2 year warranty, standard!





MOSEBACH MANUFACTURING COMPANY

1417 McLaughlin Run Rd. | Pittsburgh, PA 15241 | **412-220-0200** loadbankquotes@mosebachresistors.com

www.mosebachresistors.com