

# XL500-XL600

## Resistive Load Bank

### 500kW-600kW



ISO 9001:2015 Registered



Building on its experience with resistors in the locomotive and mining truck world, Mosebach's XL500 load bank offers you a continuous load at various voltages in a compact, lightweight enclosure. The XL500 is the smallest load bank in its class.

The digital meter allows you to measure power, voltage,

current and frequency while also allowing you to record the data as you do your testing.

Power connections are easily done with our camlock connections. External power is used for blower and control power if desired. You should be up and testing within minutes of connecting your power source.

### Standard Features

1. Lightweight aluminum body
2. Quick high speed cooling fans
3. Forklift channels
4. 400 amp camlock power connections
5. Automatic Voltage Detection
6. Automatic Phase rotation
7. Digital Meter with Type B data port
8. Easy connect external power connections

### Applications

- Generator Maintenance
- Uninterrupted Power Supplies
- Data Centers
- Renewable Energy
- OEM's

**MOSEBACH MANUFACTURING COMPANY**

1417 McLaughlin Run Rd. | Pittsburgh, PA 15241 | 412-220-0200  
loadbankquotes@mosebachresistors.com

[www.mosebachresistors.com](http://www.mosebachresistors.com)


# XL500-XL600

## Resistive Load Bank

### 500kW-600kW



XL500



### Option Configuration (Select One in Each Group)

#### CAPACITY

- 500 kW       600 kW

#### VOLTAGE

- 600 VAC 3-Phase 60hz  
 480 VAC 3-Phase 60hz  
 240 VAC 3-Phase 60hz  
 240/480 VAC 3-Phase 60hz

#### CONNECTION METHOD

- Cam-Lock Interface Kit

### Standard Configuration

#### Digital Meter

- To measure power, current, voltage and frequency
- Data logging to store tests to laptop

#### Safety

- Over temperature and over voltage sensors
- Ground camlock


### Option Add-Ons (Select Desired)

#### OPTIONAL KITS

- Outdoor kit (control panel cover and rigid louvers)  
 Mobility Kit (casters)  
 Remote Control Kit MURC  
 Permanent Install (No casters & Bus Bar connection)  
 Extended 2 Year Warranty  
 Extended 3 Year Warranty  
 Starter Spare Parts Kit

#### OPTIONAL ACCESSORIES

- Equipment Trailer  
 Equipment Trailer w/Motorized Cable Reels  
 Cable Reel Enclosure  
 25 ft. Cable Set  
 50 ft. Cable Set  
 100 ft. Cable Set  
 Nationally Recognized Test Lab (NRTL) Approval



Model No.	kW	Resolution (kW)	Dimensions (in.) W x D x H	Voltages	kW @ 1/2 Voltage
XL500	500	5	34 x 61 x 59	480/240	500
XL600	600	5	34 x 61 x 59	480/240	600

### MOSEBACH MANUFACTURING COMPANY

1417 McLaughlin Run Rd. | Pittsburgh, PA 15241 | 412-220-0200  
 loadbankquotes@mosebachtresistors.com

[www.mosebachtresistors.com](http://www.mosebachtresistors.com)

# XL500-XL600

## Resistive Load Bank

### 500kW-600kW



### Multi-Unit Controller Software

Mosebach's Multi-Unit Remote Controller Software is designed to help manage a single load bank or multiple load banks as one. It is able to be installed and run on any laptop.

The hardware consists of an I/O card that is installed in each load bank. The MURC™ can help manage a group of load banks to get the full load that is needed at the testing site.



### Mosebach's Cross Wire Resistors

Mosebach's Cross Wire Resistor have no ceramics and therefore are lighter and more durable than any other resistor on the market today. The resistors are supported by high temperature Mica supports that have been proven in Dynamic Braking Systems for locomotives and mining trucks all over the world. We are so confident in our resistor technology they come with a 2 year warranty, standard!



XL500-600 07/19

**MOSEBACH MANUFACTURING COMPANY**

1417 McLaughlin Run Rd. | Pittsburgh, PA 15241 | 412-220-0200  
loadbankquotes@mosebachresistors.com

[www.mosebachresistors.com](http://www.mosebachresistors.com)